

## Table of contents

<b>Chapter</b>	<b>Title</b>	<b>Page</b>
Chapter 1	1. Introduction	1-16
	1.1 Background	1
	1.2 Accredited Social Health Activists (ASHA) in India	3
	1.3 Neonatal Mortality Rate in India	4
	1.4 Home Based Newborn Care (HBNC)	5
	1.5 Research statement	7
	1.6 Objectives	7
	1.7 Hypotheses	8
	1.8 Assumptions	8
	1.9 Operational definitions	9
	1.10 Delimitations	10
	1.11 Conceptual framework	11
Chapter 2	2. Review of Literature	17-26
	2.1 Factors affecting IMR and NMR in India	17
	2.2 Mixed method design	20
	2.3 Newborn care practices at home and in community	21
	2.4 ASHAs knowledge and practices of HBNC	24
	2.5 Effects of HBNC on the health of newborns	24
Chapter 3	3. Material and Methods	27-43
	3.1 Research approach	27

3.2	Research design	27
3.2.1	Phase I- Qualitative approach	27
	Research design	27
	Research setting	28
	Population	28
	Sample size	28
	Sampling Technique	28
	Data collection method	28
	Data collection tool	28
	Data analysis method	28
3.2.2	Phase II- Quantitative approach	31
	Research design	31
	Research setting	31
	Population	31
	Sample size	31
	Sampling Technique	32
	Selection criteria of the participants	32
	Variables of the study	33
	Tools and techniques for data collection	33
	Validity of the tools	34
	Development of the intervention package on HBNC re-education program	38
	Pretesting of the tools	39

	Ethical consideration	40
	Pilot testing	40
	Analysis of data	43
<hr/>		
Chapter 4	4. Results	44-88
	4.1 Results of qualitative data	44
	4.1.1 Description of factors affecting implementation of HBNC by ASHA with the help of focus group discussion (FGD)	44
	4.2 Results of quantitative data	57
	4.2.1 Description of baseline data of ASHA	57
	4.2.2 Effectiveness of HBNC provided by ASHA in terms of gain in knowledge, attitude and practice scores	58
	4.2.3 Evaluation of ongoing HBNC practices by mothers of newborn	78
<hr/>		
Chapter 5	5. Discussion	89-110
	5.1 Description of factors affecting implementation of HBNC by ASHA with the help of focus group discussion	90
	5.1.1 Contributing factors in the implementation of HBNC program	90
	5.1.2 Hindering factors in the implementation of HBNC program	93
<hr/>		

	5.2	Effectiveness of HBNC re-education program on ASHA	97
	5.3	Newborn care practices of mothers and their opinion on HBNC provided by ASHA	106
<hr/>			
Chapter 6	6.	Summary	111-116
	6.1	Knowledge of ASHA	111
	6.2	Practices of ASHA	112
	6.3	Attitude of ASHA	114
	6.4	Maternal newborn care practices	115
<hr/>			
Chapter 7	7.	Conclusion	117-121
	7.1	The implication of the study	118
	7.2	Recommendation based on the findings of the study	119
	7.3	Recommendation for future research	120
		References	122-131
		Appendices	A1-53
		List of publication	A54-61
		Blueprints of the tools	A62-63
		Conferences attended	A64-65
<hr/>			

## List of tables

<b>Table No.</b>	<b>Titles</b>	<b>Page No.</b>
Table 1	Frequency and percentage distribution of baseline information of ASHA	57
Table 2	Knowledge and practices level of ASHA after HBNC training	58
Table 3	Domain wise knowledge gain of ASHA on HBNC post re-education	59
Table 4	Domain wise practice improvement of ASHA on HBNC post re-education	62
Table 5	Improvement of knowledge, attitude and practices scores of ASHA after HBNC re-education	64
Table 6	The pair wise comparison of knowledge of ASHA before and after implementation of HBNC re-education using Post Hoc Bonferroni test	65
Table 7	The pair wise comparison of attitude of ASHA before and after implementation of HBNC re-education using Post Hoc Bonferroni test	66
Table 8	The pair wise comparison of practices of ASHA before and after implementation of HBNC re-education using Post Hoc Bonferroni test	66
Table 9	Attitude of ASHA on Identification of high risk newborn and thermoregulation	68

---

Table 10	Attitude of ASHA on Breastfeeding care practices	69
Table 11	Attitude of ASHA on Infection control practices	70
Table 12	Association between levels of knowledge with the selected baseline data of ASHA	73
Table 13	Association between levels of attitude with the selected baseline data of ASHA	74
Table 14	Association between levels of practice with the selected baseline data of ASHA	75
Table 15	Correlation between knowledge, attitude and practices of ASHA	76
Table 16	Frequency and percentage distribution profile of mother and baby	78
Table 17	Response of mother regarding newborn care practices	82
Table 18	Unsafe newborn care practices of mothers	86
Table 19	Response of mother regarding HBNC provided by ASHA	87

---

## List of figures

<b>Figure No.</b>	<b>Legends</b>	<b>Page No</b>
Figure 1	Conceptual framework adapted from Health Belief Model (Rosenstock, 1974)	13
Figure 2	Study site – Doiwala, Dehradun, Uttarakhand	29
Figure 3	Schematic representation of sampling of ASHA in phase I	30
Figure 4	Data collection procedure for phase II	41
Figure 5	Schedule for data collection of the study	42
Figure 6	Comparison of pretest, posttest 1, posttest 2 and posttest 3 mean percentage of knowledge and practice of ASHA workers.	60
Figure 7	Comparison of pre-test and post-test mean knowledge scores of ASHA	61
Figure 8	Comparison of pre-test and post-test mean practice scores of ASHA	63
Figure 9	Comparison of pre-test and post-test mean attitude scores of ASHA	64
Figure 10	Correlation of knowledge and attitude of ASHA	76
Figure 11	Correlation of knowledge and practice of ASHA	77
Figure 12	Correlation of practice and attitude of ASHA	77
Figure 13	The most unsafe newborn care practices of the mothers (in %)	86