

REFERENCES

- Agarwal, P.N., Bahadur, A.K., Das B.C., Khan M.A., Sehgal A. (2010). Psychosocial disorders in women undergoing postoperative radiation and chemotherapy for breast cancer in India. *Indian Journal of Cancer*, 47(3), 296-303.
- Aghabarari, M., Ahmadi, F., Alinejad, H.A., Mohammadi, E., Hajizadeh E.(2008). The effect of designed exercise program on fatigue in women with breast cancer receiving chemotherapy. *Iranian Journal of Public Health*, 37(1), 92-98.
- Akin, S., Can, G., Durna, Z., Aydiner, A. (2008). The quality of life and self-efficacy of Turkish breast cancer patients undergoing chemotherapy. *European Journal Oncology Nursing*, 12(5), 449-56.
doi: 10.1016/j.ejon.2008.07.006. Epub 2008 Oct 7
- Ali, R., Mathew, A., Rajan, B. (2008). Effects of socio-economic and demographic factors in delayed reporting and late-stage presentation among patients with breast cancer in a major cancer hospital in South India. *Asian Pacific Journal of Cancer Prevention*, 9, 703–707.
- Alligood, M.R. (2014). Nursing Theory Utilization & Application. 5th ed, Elsevier Mosby. 160-178.
- Alzabaidey, F.J. (2012). Quality of life assessment for patients with breast cancer receiving adjuvant therapy. *Journal of Cancer Science and Therapy*, 4,51-55.
- American Cancer Society. Cancer Facts and Figures 2017
<https://www.cancer.org/.../cancer-facts-statistics>
- Andysz, A., Merecz, D., Wójcik, A., Świątkowska, B., Sierocka, K., & Najder, A. (2014). Effect of a 10-week yoga programme on the quality of life of women after breast cancer surgery. *Menopause Review*, 13(3), 186–193.
<http://doi.org/10.5114/pm.2014.43823>
- Anspaugh, D.J., Hamrick, M.H., Rosato, F.D. (2010). Wellness: Concepts and applications (8thed). McGraw-Hill Humanities.

- Ardebil, M.D., Bouzari, Z., Shenas, M.H., Zeinalzadeh, M. & Barat, S. (2011). Depression and health related quality of life in breast cancer patients. *Academic Journal of Cancer Research*, 4 (2), 43-46.
- Aslam, M.S., Naveed, S., Ahmed, A., Abbas, Z., Gull, A., Athar, M.A. (2014). Side effects of chemotherapy in cancer patients and evaluation of patients opinion about starvation based differential chemotherapy. *Journal of Cancer Therapy*, 5, 817-822. Published Online July 2014 in Scientific Research. <http://www.scirp.org/journal/jct>
- Bag, A., Rawat, S., Pant, N. K., Jyala, N.S., Singh, A., & Pandey, K. C. (2012). Cancer patterns in Nainital and adjoining districts of Uttarakhand: A one year survey. *Journal of Natural Science, Biology, and Medicine*, 3 (2), 186–188. <http://doi.org/10.4103/0976-9668.101911>
- Bahall, M. (2017). Prevalence, patterns, and perceived value of complementary and alternative medicine among cancer patients: a cross-sectional, descriptive study. *BMC Complementary and Alternative Medicine*, 17,345.
- Bajpai, J., Susan, D., Patil, V., Nair, R., Ghosh, J., Badwe, R.A., Gupta S. (2017). Taxane combination chemotherapy in breast cancer: Experience from a tertiary cancer centre in India. *Indian Journal of Medical and Paediatric Oncology* , 38,18-21.
- Banerjee, B., Vadiraj, H.S., Ram, A., Rao, R., Jayapal, M., Gopinath, K.S., Ramesh, B.S., Rao N., Kumar, A., Raghuram, N., Hegde, S., Nagendra, H.R., Prakash, H.M. (2007). Effects of an integrated yoga program in modulating psychological stress and radiation induced genotoxic stress in breast cancer patients undergoing radiotherapy. *Integrative Cancer Therapies*, 6 (3), 242-250.
- Bower, J.E., Garet, D., Sternlieb, B., Ganz, P.A., Irwin, M.R., Olmstead, R., Greendale, G. (2012). Yoga for persistent fatigue in breast cancer survivors a randomized controlled trial. *Cancer*, 118,3766-3775.
- Bower, J.E., Garet, D., Sternlieb, B. (2011). Yoga for persistent fatigue in breast cancer survivors: Results of a pilot study. *Evidence-Based Complementary and Alternative Medicine*, volume 2011, Article ID 623168, 8 pages <http://dx.doi.org/10.1155/2011/623168>

- Breast cancer Facts & Figures 2017-2018. <https://www.cancer.org>
- Brezden, C.B., Phillips, K.A., Abdoell, M., Bunston, T., Tannock, I.F. (2000). Cognitive function in breast cancer patients receiving adjuvant chemotherapy. *Journal of Clinical Oncology*, 18 (14), 2695- 27701.
<https://doi.org/10.1200/JCO.2000.18.14.2695>.
- Browall, M., Persson, L.O., Ahlberg, K., Karlsson, P., Danielson, E. (2009). Daily assessment of stressful events and coping among post-menopausal women with breast cancer treated with adjuvant chemotherapy. *European Journal of Cancer Care*, 18 (5), 507-516.
- Castellar, J.I., Fernandes, C.A., Tosta, C.E. (2014). Beneficial effects of pranic meditation on the mental health and quality of life of breast cancer survivors. *Integrative Cancer Therapies*, 13 (4), 341–350.
- Chakrabarty, J., Vidyasagar, M. S., Fernandes, D., Joisa, G., Varghese, P., Mayya, S. (2015). Effectiveness of pranayama on cancer-related fatigue in breast cancer patients undergoing radiation therapy: A randomized controlled trial. *International Journal of Yoga*, 8:47-53.
<http://www.ijoy.org.in/text.asp?2015/8/1/47/146062>
- Chan, H.K., Ismail, S. (2014). Side effects of chemotherapy among cancer patients in a Malaysian general hospital: Experiences, perceptions and informational needs from clinical pharmacists. *Asian Pacific Journal of Cancer Prevention*, 15 (13), 5305-5309.
- Chandwani, K. D., Thornton, B., George, P.H., Banu, A., Raghuram, N. V., Nagendra, H.R., Wei, Q., Lorenzo, C. (2010). Yoga improves quality of life and benefit finding in women undergoing radiotherapy for breast cancer. *Journal of the Society for Integrative Oncology*, 8 (2), 43-55.
- Charalambous, A., Giannakopoulou, M., Bozas, E. & Paikousis, L. A.(2015). Randomized controlled trial for the effectiveness of progressive muscle relaxation and guided imagery as anxiety reducing interventions in breast and prostate cancer patients undergoing chemotherapy. *Evidence-Based Complementary and*

Alternative Medicine, Article ID 270876, 10 pages
<http://dx.doi.org/10.1155/2015/270876>

- Chen, S. F., Wang, H. H., Yang, H. Y., Chung, U.L. (2015). Effect of relaxation with guided imagery on the physical and psychological symptoms of breast cancer patients undergoing chemotherapy. *Iran Red Crescent Medical Journal*, 17(11), e31277. doi: 10.5812/ircmj.31277
- Chui, P.L., Abdullah, K.L., Wong, L.P., Taib, N.A. (2015). Quality of Life in CAM and Non-CAM users among breast cancer patients during chemotherapy in Malaysia. *PLoS ONE*, 10(10), e0139952. doi:10.1371/journal.pone.0139952
- Cohen, L., Warneke, C., Fouladi, R.T., Rodriguez, M.A., Chaoul-Reich, A. (2004). Psychological adjustment and sleep quality in a randomized trial of the effects of a tibetan yoga intervention in patients with lymphoma. *Cancer*, 100(10),2253-2260.
- Culos-Reed, S. N., Carlson, L. E., Daroux, L. M., & Hately-Aldous, S. (2006). A pilot study of yoga for breast cancer survivors: Physical and psychological benefits. *Journal of Psycho-Oncology*, 15 (10), 891-897.
- Danhauer, S. C., Mihalko, S. L., Russell, G. B., Campbell, C. R., Felder, L., Daley, K., & Levine, E. A. (2009) Restorative yoga for women with breast cancer: findings from a randomized pilot study. *Psycho-Oncology* , 18 (4), 360–368. <http://doi.org/10.1002/pon.1503>.
- Definition of WHO QOL. www.who.int/mental_health/media/68
- Dehkordi, A., Heydarnejad, M.S., Fatehi, D. (2009). Quality of life in cancer patients undergoing chemotherapy. *Oman Medical Journal*, 24(3), 204–207. doi: [10.5001/omj.2009.40](https://doi.org/10.5001/omj.2009.40)
- de Jong, N., Candel, M.J., Schouten, H.C., Abu-Saad, H.H., Courtens, A.M.(2004). Prevalence and course of fatigue in breast cancer patients receiving adjuvant chemotherapy. *Annals of Oncology*, 15, 896–905. [PubMed: 15151946]

- Demiralp, M., Oflaz, F., Komurcu, S. (2010). Effects of relaxation training on sleep quality and fatigue in patients with breast cancer undergoing adjuvant chemotherapy. *Journal of Clinical Nursing*, 19(7-8), 1073-1083.
doi: 10.1111/j.1365-2702.2009.03037.x.
- de Souza, B.F., Moraes, J.A., Inocenti, A., Santos, M.A., Silva, A. E. B.C., Miasso A. I. (2014). Women with breast cancer taking chemotherapy: depression symptoms and treatment adherence. *Rev Lat Am. Enfermagem*, 22 (5), 866-873.
doi: 10.1590/0104-1169.3564.2491
- Dhruva, A., Miaskowski, C., Abrams, D., Acree, M., Cooper, B., Goodman, S., Hecht, F.M. (2012). Yoga breathing for cancer chemotherapy-associated symptoms and quality of life: results of a pilot randomized controlled trial. *Journal of Alternative and Complementary Medicine*, 18(5), 473-479.
doi: 10.1089/acm.2011.0555. Epub 2012 Apr 23.
- El-Sharkawi, F.M., Sakr, A.F., Atta, H.Y., Ghanem, H.M. (1997). Effect of different modalities of treatment on the quality of life of breast cancer patients in Egypt. *Eastern Mediterranean Health Journal*, 3,1 . [ww.emro.who.int/emhj-volume-3-1997/volume-3-issue-1/article9.html](http://www.emro.who.int/emhj-volume-3-1997/volume-3-issue-1/article9.html)
- Fan-Ko, S., Chao-Ming, H., YuChun, Y., Chu-Yun, L., Chun-Ying, C. (2017). The effects of muscle relaxation and therapeutic walking on depression, suicidal ideation, and quality of life in breast cancer patients receiving chemotherapy. *Cancer Nursing*, 40(6), E39–E48.
doi: 10.1097/NCC.0000000000000458 . <http://journals.Iww.com/>
- Farooqi, Y.N. & Chaudhry, M. (2012). Depression and anxiety reported by patients with cancer of breast and uterus. *International Journal of Humanities and Social Science*, 2 (8), 188-193.
- Foltz, A.T., Gaines, G., Gullatte, M. (1996). Recalled side effects and self-care actions of patients receiving inpatient chemotherapy. *Oncology Nursing Forum*, 23(4), 679-683.

- Galantino, M.L., Greene, L., Daniels, L., Dooley, B., Muscatello, L., O'Donnell, L. (2012). Longitudinal impact of yoga on chemotherapy-related cognitive impairment and quality of life in women with early stage breast cancer: a case series. *Explore: The Journal of Science and Healing*, 8 (2), 127-135.
- Gaston-Johansson, F., Fall-Dickson, J.M., Nanda, J., Ohly, K.V., Stillman, S., Krumm, S., Kennedy, M.J. (2000). The effectiveness of the comprehensive coping strategy program on clinical outcomes in breast cancer autologous bone marrow transplantation. *Cancer Nursing*, 23 (4), 277-285.
- Gaston-Johansson, F., Fall-Dickson, J.M., Nanda, J.P., Sarenmalm, E.K., Browall, M., Goldstein, N. (2013). Long-term effect of the self-management comprehensive coping strategy program on quality of life in patients with breast cancer treated with high-dose chemotherapy. *Psychooncology*, 22 (3), 530-539.
- Gho, S.A., Steele, J.R., Jones, S.C., Munro, B.J. (2013). Self-reported side effects of breast cancer treatment: a cross-sectional study of incidence, associations, and the influence of exercise. *Cancer Causes & Control*, 24 (3), 517–528.

- GLOBOCAN 2012 (IARC), Section of Cancer Surveillance. globocan.iarc.fr/
- Gokgoz, S., Sadikoglu, G., Paksoy, E., Guneytepe, U., Ozcakir, A., Bayram, N., Bilgel, N. (2011). Health related quality of life among breast cancer patients: A study from Turkey. *Global Journal of Health Science*, 3 (2), 140-152.
- Gotay, C.C., Korn, E.L., McCabe, M.S., Moore, T.D., Cheson, B.D. (1992). Quality-of-life assessment in cancer treatment protocols: Research issues in protocol development. *Journal of the National Cancer Institute*, 84(8), 575–579.
- Greene, D., Nail, L.M., Fieler, V.K., Dudgeon, D., Jones, L.S. (1994). A comparison of patient-reported side effects among three chemotherapy regimens for breast cancer. *Cancer Practice*, 2 (1), 57-62.
- Hoffman, C.J., Ersser, S., Hopkinson, J.B., Nicholls, P.G., Harrington, J.E. & Thomas, P.W. (2012) Effectiveness of mindfulness-based stress reduction in mood, breast and endocrine-related quality of life, and well-being in stage 0 to II

- breast cancer: a randomized controlled trial. *Journal of Clinical Oncology*, 30 (12),1335-1342. doi: 10.1200/JCO.2010.34.0331.
- Hosseinpour, A., Younesi, S.J., Mehraban, S., Mousavi, S.F., Mousavi, S.A., Farmani, F. Rostami, M. (2014). The efficacy of cognitive-behavioral stress management training on depression and anxiety in women with cancer. *Indian Journal of Fundamental and Applied Life Sciences*, 4 (S4), 1521-1527. www.cibtech.org/sp.ed/jls/2014/04/jls.htm
 - Hosakote, V.S., Rao, M. R., Nagendra, R.H., Raghuram, N., Mohan, R., Nanjundiah, V., Gopinath, S. K., Srinath, B. S., Vishweshwara, M. S., Madhavi, Y. S., Basavalingaiah, S. A., Bilimarga, R.S., Rao, N. (2009). Effects of yoga on symptom management in breast cancer patients: A randomized controlled trial. *International Journal of Yoga*, 2,73-79.
 - Jacobsen, P.B., Hann, D.M., Azzarello, L.M., Horton, J., Balducci, L., Lyman, G.H. (1999). Fatigue in women receiving adjuvant chemotherapy for breast cancer: Characteristics, course, and correlates. *Journal of pain and Symptom management* , 18 (4), 233-242.
 - Janusek, L.W., Albuquerque, K., Chroniak, K.R., Chroniak, C., Arvizu, R.D., Mathews, H.L. (2008). Effect of mindfulness based stress reduction on immune function, quality of life and coping in women newly diagnosed with early stage breast cancer. *Brain, Behavior and immunity*, 22 (6), 969-981.
 - Johansson, B., Brandberg, Y., Hellbom, M., Persson, C., Petersson, L.M., Berglund G., Glimelius B. (2008). Health-related quality of life and distress in cancer patients: results from a large randomized study. *British Journal of Cancer*, 99(12), 1975–1983.
 - Jung, T.C., Shyan, L.H., Li, L.W., Ming, C.S., Tsung, H.W., Wen, C.S. (2014). The effect of yoga exercise on improving depression, anxiety, and fatigue in women with breast cancer: a randomized controlled trial. *Journal of Nursing Research* , 22 (3),155–164.
 - Junghaenel, D.U., Cohen, J., Schneider, S., Neerukonda, A. R., & Broderick, J.E. (2015). Identification of distinct fatigue trajectories in patients with breast cancer

undergoing adjuvant chemotherapy. *Supportive Care in Cancer*, 23(9), 2579–2587.

- Karbani, G., Lim, J.N., Hewison, J., Atkin, K., Horgan, K., Lansdown, M., Chu, C.E. (2011). Culture, attitude and knowledge about breast cancer and preventive measures: a qualitative study of South Asian breast cancer patients in the UK. *Asian Pacific Journal of Cancer Preview*, 12 (6), 1619-1626.
- Kang, D.H., McArdle, T., Park. N.J., Weaver, M.T., Smith, B., Carpenter, J. (2011). Dose effects of relaxation practice on immune responses in women newly diagnosed with breast cancer: an exploratory study. *Oncology Nursing Forum*, 38(3), E240-252. doi: 10.1188/11.ONF.E240-E252.
- Kashani, F., Babaee, S., Bahrami, M., & Valiani, M. (2012). The effects of relaxation on reducing depression, anxiety and stress in women who underwent mastectomy for breast cancer. *Iranian Journal of Nursing and Midwifery Research*, 17(1), 30–33.
- Keshaviah, P. (2016). *Holistic Living Manual the Teachings of Swami Rama of the Himalayas*. Himalayan Institute Hospital Trust. pp 32, 35, 86.
- Korpela, J., Mali, P., Kaljonen, A., Salminen, E. (2011). Quality of life of patients with metastatic breast cancer treated with epirubicin and docetaxel. *International Journal of Clinical Medicine*, 2, 346-351.
- Kozier, B., Glenora Erb, G., Rita Olivieri, R. (2008). *Fundamentals of Nursing. Concepts, Process and Practice*, (8th edition). New Jersey: Pearson Prentice Hall, 296–297.
- Lin, K.Y., Hu,Y.T., Chang, K.J., Lin,H.F., Tsauo, J.Y.(2011). Effects of yoga on psychological health, quality of life, and physical health of patients with cancer: A meta-analysis. *Evidence-Based Complementary and Alternative Medicine* , Volume 2011 (2011), Article ID 659876, 12 pages.
<http://dx.doi.org/10.1155/2011/659876>

- Lai, X.B., Ching, S.S., Wong, A. (2017). Qualitative exploration of the experiences of patients with breast cancer receiving outpatient-based chemotherapy. *Journal of Advance Nursing*, 73(10), 2339-2350
- Lazarus, R.S., Folkman, S. (1984). Stress, appraisal, and coping, Springer Pub. Co., New York
- Lemieux, J., Maunsell, E., Provencher, L. (2008). Chemotherapy-induced alopecia and effects on quality of life among women with breast cancer: a literature review. *Psychooncology*, 17, 317–328.
- León-Pizarro, C., Gich, I., Barthe, E., Rovirosa, A., Farrús, B., Casas, F., Verger, E., Biete, A., Craven-Bartle, J., Sierra, J., Arcusa, A. (2007). A randomized trial of the effect of training in relaxation and guided imagery techniques in improving psychological and quality-of-life indices for gynecologic and breast brachytherapy patients. *Psychooncology*, 16(11), 971-979.
- Linde, C.D. & Stuart, A.D. (2002). A cognitive-relaxation-visualization intervention for anxiety in women with breast cancer: research. *Health SA Gesondheid*, 7(3), 68 – 78
- Lôbo, A.S., Fernandes, A.F., Almeida, P.C., Carvalho, C.M., Sawada, N.O. (2014). Quality of life in women with breast cancer undergoing chemotherapy. *Acta Paul Enferm*, 27(6), 554-559.
- Loh, S.Y., Tan, F.L., Xavier, M. (2009). Depression, anxiety and stress in women with breast cancer: effect of a 4-week self management intervention. *Malaysian Journal of Psychiatry*, 1-9
- Lötzke, D., Wiedemann, F., Rodrigues Recchia, D., Ostermann, T., Sattler, D., Ettl, J., Büssing, A. (2016). Iyengar-yoga compared to exercise as a therapeutic intervention during (neo)adjuvant therapy in women with stage I-III breast cancer: health-related quality of life, mindfulness, spirituality, life satisfaction, and cancer-related fatigue. *Evidence-Based Complementary and Alternative Medicine*, Volume 2016 (2016), Article ID 5931816, 8 pages
<http://dx.doi.org/10.1155/2016/5931816>

- Luebbert, K., Dahme, B., Hasenbring, M. (2001). The effectiveness of relaxation training in reducing treatment-related symptoms and improving emotional adjustment in acute non-surgical cancer treatment: a meta-analytical review. *Psychooncology*, 10(6),490-502.
- Luoma, M.L., Hakamies-Blomqvist, L. (2004). The meaning of quality of life in patients being treated for advanced breast cancer: a qualitative study. *Psychooncology* , 13(10),729-739.
- Malvia, S., Bagadi, S. A., Dubey, U. S. Saxena, S. (2017). Epidemiology of breast cancer in Indian women. *Asia-Pacific Journal of Clinical Oncology*, 13, 289–295.
- Malik, A.A., Kiran, T. (2013). Psychological Problems in Breast Cancer Patients: A Review. *Chemotherapy*, 2,115. doi: 10.4172/2167-7700.1000115
- Manoharan, N., Nair, O., Shukla, N.K., Rath, G.K. (2017). Descriptive epidemiology of female breast cancer in Delhi, India. *Asian Pacific Journal of Cancer Prevention*, 18(4),1015-1018.
- Mathew, A., Gajalakshmi, V., Rajan, B., Kanimozhi, V.C., Brennan, P., Binukumar, B.P., Boffetta, P. (2009). Physical activity levels among urban and rural women in south India and the risk of breast cancer: a case-control study. *European Journal of Cancer Prevention*, 18, 368–376
- Mathew, A., George, P.S., Kalavathy, M.C. , Padmakumari, G. , Jagathnath, K.M. , Sebastian, P.(2017) Cancer incidence and mortality: district cancer registry, Trivandrum, South India. *Asian Pacific Journal of Cancer Preview*, 18 (6), 1485-1491.
- Matousek, R.H., Pruessner, J.C., Dobkin, P.L.(2011). Changes in the cortisol awakening response (CAR) following participation in mindfulness-based stress reduction in women who completed treatment for breast cancer. *Complementary Therapies in Clinical Practice*, 17 (2), 65-70. doi: 10.1016/j.ctcp.2010.10.005
- McCall, M., McDonald, M., Thorne, S., Ward, A., Heneghan, C. (2015). Yoga for Health-Related Quality of Life in Adult Cancer: A Randomized Controlled

Feasibility Study. *Evidence-Based Complementary and Alternative Medicine*

Volume 2015, Article ID 816820, 12 pages

<http://dx.doi.org/10.1155/2015/816820>

- Milanti, A., Metsala, E., Hannula, L. (2015). Reducing psychological distress in patients undergoing chemotherapy. *British Journal of Nursing*, 25, 4 <https://doi.org/10.12968/bjon.2016.25.4.S25>.
- Moadel, A.B., Shah, C., Rosett, J. W., Harris, M.S., Patel, S.R., Hall, C.B., & Sparano, J.A. (2007). Randomized controlled trial of yoga among a multiethnic sample of breast cancer patients: effects on quality of life. *Journal of Clinical Oncology*, 25(28),4387-4395.
- Moinpour, C. (1994). Measuring quality of life: An emerging science. *Journal of Clinical Oncology*, 5, 48–63.
- Molassiotis, A., Yung, H.P., Yam, B.M., Chan, F.Y., Mok, T. (2002).The effectiveness of progressive muscle relaxation training in managing chemotherapy-induced nausea and vomiting in Chinese breast cancer patients: A randomised controlled trial. *Supportive Care in Cancer*, 10 (3), 237–246.
- Montazeri, A. (2008). Health-related quality of life in breast cancer patients: A bibliographic review of the literature from 1974 to 2007. *Journal of Experimental & Clinical Cancer Research*, 27(1), 32. <http://doi.org/10.1186/1756-9966-27-32>
- Moqimi, M. , Shabani, M. , Mazloomzadeh, S., Valimoqaddam, S. , Dehnaei, S., Shajari Z., Zamiri,R.E. (2013). Can yoga be considered as an effective supportive psychological intervention with an impact on the quality of life for breast cancer survivors?. *Radiotherapy and Oncology*, 1(3),e2374.
- Mudduwa, L., & Wijesinghe, C. (2009). Awareness of breast cancer among females with breast diseases. *Galle Medical Journal*, 13(1),14–18.
- Munir, F., Kalawsky, K., Lawrence, C., Yarker, J., Haslam, C., Ahmed, S. (2011). Cognitive intervention for breast cancer patients undergoing adjuvant chemotherapy: A needs analysis. *Cancer Nursing*, 34 (5), 385-392.
- Mustian, K.M., Sprod, L. K., Janelsins, M., Peppone, L. J., Palesh, O. G., Chandwani, K., Morrow, G. R. (2013). Multicenter randomized controlled trial of

- yoga for sleep quality among cancer survivors. *Journal of Clinical Oncology*, 31(26), 3233–3241.
- Naeini, E.E., Zaker, B.S., Peyvandy, P. (2016). The effectiveness of stress management training on hardiness in patients with breast cancer. *Abnormal Behavior Psychology*, 2,115. doi:10.4172/2472-0496.1000115
 - Nightingale, F. (1969). *Notes on Nursing: What it is and what it is not*. New York: Dover Books, 2.
 - Nikbakhsh, N., Moudi, S. Abbasian, S., Khafri, S.(2014). Prevalence of depression and anxiety among cancer patients. *Caspian Journal of Internal Medicine*, 5 (3),167-170.
 - Nuernbergers, P. (1981). *Freedom from Stress: A Holistic Approach*. Himalayan Institute Press, Pennsylvania, USA. pp 65-66.
 - Nunes, D.F., Rodriguez, A.L., Hoffmann, F. D., Luz, C., Braga, A.P., Muller, M.C., Bauer, M.E. (2007). Relaxation and guided imagery program in patients with breast cancer undergoing radiotherapy is not associated with neuroimmunomodulatory effects. *Journal of Psychosomatic Research*, 63(6), 647-655.
 - Ouakinina, S., Eusebioa, S., Torradao, M., Silvab, H. , Nabaisc, I. , Gonçalvesc, G., Bacelar-Nicolau, L. (2015). Stress reactivity, distress and attachment in newly diagnosed breast cancer patients. *Health Psychology and Behavioral Medicine*, 3 (1), 424–438. <http://dx.doi.org/10.1080/21642850.2015.1121491>
 - Palappallil, D.S., Nair, B.L., Jayakumar, K.L., Puvathalil, R.T. (2011). Comparative study of the toxicity of 5-fluorouracil-adriamycin-cyclophosphamide versus adriamycin-cyclophosphamide followed by paclitaxel in carcinoma breast. *Indian Journal of Cancer*, 48, 68-73.
 - Pakseresht, S., Ingle, G.K., Bahadur, A.K., Ramteke, V.K., Singh, M.M., Garg, S., Agarwal, P.N. (2009). Risk factors with breast cancer among women in Delhi. *Indian Journal of Cancer*, 46,132-138.

- Pandey, M., Sarita, G.P., Devi, N., Thomas, B.C., Hussain, B.M. Krishnan, R. (2006). Distress, anxiety, and depression in cancer patients undergoing chemotherapy. *World Journal of Surgical Oncology*, 4, 68 <https://doi.org/10.1186/1477-7819-4-68>
- Parkin, D.M. (2009). Is the recent fall in incidence of post-menopausal breast cancer in UK related to changes in use of hormone replacement therapy? *European Journal of Cancer*, 45 (9), 1649-1653.
- Parmar, V., Badwe, R., Hawaldar, R., Rayabhattanavar, S., Varghese, A., Sharma, R., Mittra, I. (2005). Validation of EORTC quality-of-life questionnaire in Indian women with operable breast cancer. *The National Medical Journal of India*, 18 (4), 172-177.
- Pathak, P., Mahal, R., Kohli, A., Nimbran, V. (2013). Progressive muscle relaxation: An adjuvant therapy for reducing pain and fatigue among hospitalized cancer patients receiving radiotherapy. *International Journal of Advanced Nursing Studies*, 2 (2), 58-65.
- Phillips, K.M., Antoni, M.H., Lechner, S.C., Blomberg, B.B., Llabre, M.M., Avisar, E., Glück, S., DerHagopian, R., Carver, C.S. (2008). Stress management intervention reduces serum cortisol and increases relaxation during treatment for nonmetastatic breast cancer. *Psychosomatic Medicine*, 70 (9), 1044-1049.
- Polikandrioti, M., Evangelou, E., Zerva, S., Zerdila, M., Koukouliaris, D., Kyritsi, E. (2008). Evaluation of depression in patients undergoing chemotherapy. *Health Science Journal*, 2 (3), 162-172.
- Rama, S. (1992). *Meditation and its Practice*. Himalayan Institute Press, Pennsylvania, USA. pp 9-12.
- Rao MR, Raghuram N, Nagendra HR, Gopinath KS, Srinath BS, Diwakar RB, Patil S, Bilimaga SR, Rao N, Varambally S. (2009). Anxiolytic effects of a yoga program in early breast cancer patients undergoing conventional treatment: A randomized controlled trial. *Complementary Therapies in Medicine*, 17 (1), 1-8.
- Rao, R.M., Nagendra, H. R., Raghuram, N., Vinay, C., Chandrashekara, S., Gopinath, K. S., Srinath, B. S. (2008). Influence of yoga on mood states, distress,

quality of life and immune outcomes in early stage breast cancer patients undergoing surgery. *International Journal of Yoga* ,1 (1),11-20.

- Redeker, N.S., Lev, E.L. , Ruggiero, J. (2000). Insomnia, fatigue, anxiety, depression, and quality of life of cancer patients undergoing chemotherapy. *Scholarly Inquiry for Nursing Practice*, 14 (4), 275-290.
- Sackett, L., Nelson, M., Wonders, K.Y. (2015). Randomized controlled trial on the effectiveness of yoga in breast cancer patients receiving adjuvant radiation and/or chemotherapy following breast surgery. *Journal of Cancer Science and Research*, 1(4), 021.
- Saleha, S.B., Shakeel, A., Shumaila, E., Shazia, R., Rashid, R., Ibrahim, M. (2012). An assessment of quality of life in breast cancer patients using EORTC QLQ C30/+Br23 questionnaire. *Iran Journal of Cancer Preview*, 3 (2), 98–104.
- Saniah, A.R., Zainal, N.Z. (2010). Anxiety depression and coping strategies in breast cancer patients on chemotherapy. *Malaysian Journal of Psychiatry*, 19, 2 <https://www.mjpsychiatry.org/index>
- Sharma, N., Narayan, S., Sharma, R., Kapoor, A., Kumar, N., Nirban, R. (2016). Association of co- morbidities with breast cancer: An observational study. *Tropical Journal of Medical Research*, 19 (2), 168-171.
- Shayan, A., Jamshidi, F., Masoumi, S.Z., Ataollahi, M., Gholamzadeh, S., Zarenezhad, M. (2016). Effectiveness of stress management consultation for quality of life and stress of women suffering from breast cancer. *Global Journal of Health Science*, 8 (11), 311-319.
- Shahriari, M., Dehghan, M., Pahlavanzadeh, S., & Hazini, A. (2017). Effects of progressive muscle, guided imagery and deep diaphragmatic breathing on quality of life in elderly with breast or prostate cancer. *Journal of Education and Health Promotion*, 6, 1. http://doi.org/10.4103/jehp.jehp_147_14
- Siedentopf, F., Utz-Billing, I., Gairing, S., Schoenegg, W., Kentenich, H., & Kollak, I. (2013). Yoga for patients with early breast cancer and its impact on quality of life – a randomized controlled trial. *Geburtshilfe Und Frauenheilkunde*, 73 (4) 311–317. <http://doi.org/10.1055/s-0032-1328438>

- Singh, H., Kaur, K., Banipal, R.P.S., Sigh, S., Bala, R. (2014). Quality of life in cancer patients undergoing chemotherapy in a tertiary care center in Malwa region of punjab. *Indian Journal of Palliative Care*, 20 (2), 116–122.
- So, W.K., Marsh, G., Ling, W.M., Leung, F.Y., Lo, J.C., Yeung, M., Li, G.K. (2010). Anxiety, depression and quality of life among Chinese breast cancer patients during adjuvant therapy. *European Journal of Oncology Nursing*, 14(1), 17-22. doi: 10.1016/j.ejon.2009.07.005.
- Sona, P., Fatemeh, J., Arash, K., Saeedeh, A., Hengameh, S. (2016). The impact of the implementation of the empowerment family-centered model on the performance scale of the lives quality of women with breast cancer undergoing chemotherapy. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(6), 2095.
- Song, Q.H., Xu, R.M., Zhang, Q.H., Ma, M., Zhao, X.P. (2013). Relaxation training during chemotherapy for breast cancer improves mental health and lessens adverse events. *International Journal of Clinical and Experimental Medicine* , 6(10), 979–984.
- Schmidt, M.E., Wiskemann, J., Armbrust, P., Schneeweiss, A., Ulrich, C.M., Steindorf, K. (2015). Effects of resistance exercise on fatigue and quality of life in breast cancer patients undergoing adjuvant chemotherapy: A randomized controlled trial. *International Journal of Cancer*, 137(2),471-480. doi: 10.1002/ijc.29383.
- Srivastava, V., Ansari, M.A., Kumar, A., Shah, A.G., Meena, R.K. , Sevach, P. , Singh, O.P. (2016). Study of anxiety and depression among breast cancer patients from north India. *Clinical Psychiatry*, 2,1. doi: 10.21767/2471-9854.100017
- Sudarshan, M., Petrucci, A., Dumitra, S., Duplisea, J., Wexler, S., Meterissian, S. (2013).Yoga therapy for breast cancer patients: A prospective cohort study. *Complementary Therapies in Clinical Practice*, 19 (4), 227-229.
- Suresh, P., Batra, U., Doval, D. C.(2013). Epidemiological and clinical profile of triple negative breast cancer at a cancer hospital in North India. *Indian Journal of Medical Paediatric Oncology*, 34,89-95.

- Taleghani, F., Khajehaminian, M.R., Khalifezadeh, A., Karimian, J., Hajahmadian, H., samimivv, M.A. (2009). The effect of exercise on physical aspect of quality of life in breast cancer patients undergoing chemotherapy. *Iranian Journal of Nursing and Midwifery Research*, 14(3), 99-103.
- Taso, C.J., Lin, H.S., Lin, W.L., Chen, S.M., Huang, W.T., Chen, S.W. (2014). The effect of yoga exercise on improving depression, anxiety, and fatigue in women with breast cancer: A randomized controlled trial. *The Journal of Nursing Research*, 22(3), 155-164. doi: 10.1097/jnr.0000000000000044.
- Ulger, O., Yagli, N.V. (2010). Effects of yoga on the quality of life in cancer patients. *Complementary Therapies in Clinical Practice*, 16(2), 60-63. doi: 10.1016/j.ctcp.2009.10.007.
- Vadiraja HS, Rao MR, Nagarathna R, Nagendra HR, Rekha M, Vanitha N, Gopinath KS, Srinath BS, Vishweshwara MS, Madhavi YS, Ajaikumar BS, Bilimagga SR, Rao N. (2009) Effects of yoga program on quality of life and affect in early breast cancer patients undergoing adjuvant radiotherapy: A randomized controlled trial. *Complementary Therapies in Medicine*, 17(5–6), 274–280.
- Vadiraja, H.S., Raghavendra, R.M., Nagarathna, R., Nagendra, H.R., Rekha, M., Vanitha, N., Gopinath, K.S., Srinath, B.S., Vishweshwara, M.S., Madhavi, Y.S., Ajaikumar, B.S., Ramesh, B.S., Nalini, R., Kumar, V. (2009). Effects of a yoga program on cortisol rhythm and mood states in early breast cancer patients undergoing adjuvant radiotherapy: a randomized controlled trial. *Integrated Cancer Therapies*, 8 (1), 37-46. doi: 10.1177/1534735409331456.
- Valenti, M., Porzio, G., Aielli, F., Verna, L., Cannita, K., Manno, R., Masedu, F., Marchetti, P., Ficarella, C. (2008). Physical exercise and quality of Life in breast cancer survivors. *International Journal of Medical Sciences*, 5(1), 24-28. <http://www.medsci.org/v05p0024.htm>
- van't Spijker, A., Trijsburg, R.W., Duivenvoorden, H.J. (1997). Psychological squeal of cancer diagnosis: A meta-analytical review of 58 studies after 1980. *Psychosomatic Mededecine*, 59, 280–93.

- Wesa, K., Gubili, J., Cassileth, B. (2008). Integrative oncology: complementary therapies for cancer survivors. *Hematology/Oncology Clinics of North America*, 22 (2), 343-353. <https://doi.org/10.1016/j.hoc.2008.02.002>
- Wilson, R.W., Taliaferro, L.A., Jacobsen, P.B. (2006). Pilot study of a self-administered stress management and exercise intervention during chemotherapy for cancer. *Support Care Cancer*, 14, 928–935.
- Williams, S.A., Schreier, A.M. (2005).The role of education in managing fatigue, anxiety, and sleep disorders in women undergoing chemotherapy for breast cancer. *Applied Nursing Research*, 18 (3), 138-147.
 - WHO FACT Sheet 2017. <https://www.who.intFact>
 - WHO FACT Sheet 2018. <https://WWW.who.intFact>
- WHOQOL Group, Study protocol for the World Health Organisation project to develop a quality of life assessment instrument (the WHOQOL). (1993) Quality Life Res 2: 153–159. DOI 10.1186/s12906-017-1853-6.
- Wonders, K. (2015). Randomized controlled trial on the effectiveness of yoga in breast cancer patients receiving adjuvant radiation and/or chemotherapy following breast surgery. *Jacobs Journal of Cancer Science and Research*, 1,4 021.
- *World Health Organization. Regional Office for Europe* (1984). Health promotion: a discussion document on the concept and principles: summary report of the Working Group on Concept and Principles of Health Promotion, Copenhagen, 9–13 July 1984(ICP/HSR 602(m01)5 p).
- Yazdani, F. (2014). the effects of yoga program on the quality of life in breast cancer patients . *Journal of Urmia Nursing and Midwifery Faculty*, 12 (6), 444-453.
 - Yekta, Z.P., Sadeghian, F., Larijani, T.T., Mehran, A. (2017). The comparison of two types of relaxation techniques on postoperative state anxiety in candidates for the mastectomy surgery: A randomized controlled clinical trial. *International Journal Of Community Based Nursing And Midwifery*, 5 (1), 61-69.
 - Yen, J.Y. , Ko, C.H., Yen, C.F., Yang, M.J., Wu, C.Y., Juan, C.H., Hou, M.F. (2006). Quality of life, depression, and stress in breast cancer women outpatients

receiving active therapy in Taiwan. *Psychiatry and Clinical Neurosciences*, 60 (2), 147-153.

- Yilmaz, S.G., Arslan, S. (2015). Effects of progressive relaxation exercises on anxiety and comfort of Turkish breast cancer patients receiving chemotherapy. *Asian Pacific Journal of Cancer Preview*, 16 (1), 217-220.