

## TABLE OF CONTENTS

Chapter	Title	Page
1.	<b>INTRODUCTION</b>	1
	1.1 Oral cancer	2
	1.1.1 Incidence and mortality	2
	1.1.2 Tobacco as risk factor	2
	1.1.3 Periodontitis as risk factor	2
	1.1.4 Oral hygiene status and care protocol.	3-4
	1.2 Fluoride recommendations for chemo radiotherapy patients.	4-5
	1.3 Xerostomia and need of Fluoride	5-6
	1.4 Oral health related quality of life (OHRQOL)	7-8
	1.5 Aims, objectives & Hypothesis	9
2.	<b>REVIEW OF LITERATURE</b>	10
	2.1 Oral cancer registries in India	11-12
	2.2 Incidence of Tobacco use in Indian population	12-13
	2.3 Periodontitis and oral cancer evidence based interlink	13-15
	2.4 Oral quality of life in cancer patients.	15-17
	2.5 Oro-dental disease burden and treatment needs	17-20
	2.6 Oral care protocols.	20-23
	2.7 fluoride and dental caries	23-28
3.	<b>MATERIALS AND METHODS:</b>	29
	3.1 Study design	30
	3.1.1 Randomized controlled trial	30
	3.1.2 Trail registry, Initiation and Completion	30
	3.2 Eligibility criteria	31

	3.2.1 Inclusion criteria	31
	3.2.2 Exclusion criteria	31
	3.3 Intervention	31-32
	3.3.1 PICO criteria	32-33
	3.3.2 Application of intervention	33
	3.4 Study outcomes	34
	3.4.1 primary outcome	34-35
	3.4.2 secondary outcome	35
	3.5 Sample size	35
	3.5.1 Calculation.	35-36
	3.5.2 At completion of trial	36-38
	3.5 Trial check parameters	38
	3.5.1 Trial evaluation, follow up and stopping rules	38
	3.5.2 Ethical considerations	38-39
	3.6 Randomization details	39
	3.6.1 Allocation, concealment and implementation	39
	3.6.2 Evaluation & blinding	40
	3.7 Statistical analysis	40-41
4.	<b>RESULTS</b>	42
	4.1 Baseline Demographic Results	43-51
	4.2 Dental treatment and cost for the supportive care protocol (SOCP).	51-52
	4.3 DMFT scores for intervention groups.	53
	4.3.1: DT scores for intervention groups.	53-59
	4.3.2: MT scores for intervention groups.	60-61
	4.3.3: FT scores for intervention groups	62-69
	4.3.4: DMFT total scores for intervention groups	70-76

	4.4 OHIP-14 scores for intervention groups.	77-83
	4.5 Correlation between OHIP-14 and DMFT scores at baseline for all four-intervention groups.	84
	4.6 Mouth opening and DMFT scores comparison.	85
	4.7 Mouth opening and total OHIP scores comparison.	86
	4.8 Secondary objective result SOCP validation.	87-88
5.	<b>DISCUSSION</b>	89
	5.1 Baseline characteristic data	90
	5.1.1 Gender	90
	5.1.2 Age	90
	5.1.3 Site of cancer	91
	5.1.4 Radiation type and dose	91-92
	5.1.5 Cancer Treatment modality	92
	5.1.6 Histopathology	92-93
	5.1.7 Tobacco, smoking & alcohol	93
	5.1.8 Oral hygiene measures, Education and Socioeconomic status.	93-94
	5.2 Dental treatment needs and its impact	94
	5.2.1 Dental disease and treatment burden	94-95
	5.2.2 Trismus effect on Oro-dental care	95-96
	5.2.3 OHIP-14 scores	96
	5.2.4 Economic burden due to Oro-dental care (SOCP)	97
	5.3 Validation of SOCP.	97-98
	5.4 DMFT index and Fluoride	98-99
	5.4.1 DT scores	99-102
	5.4.2 MT scores	102-103
	5.4.3 FT scores	103-104
	5.4.4 DMFT scores	104-106

	5.5 OHIP -14 scores and Fluoride	106-109
6	<b>CONCLUSIONS</b>	110
	6.1 Key findings	111
	6.2 Limitations of study	112
	6.3 Clinical recommendations	113
7	<b>SUMMARY</b>	114
	7.1 Introduction & Methods	115
	7.2 Baseline data	116
	7.3 DMFT Scores	117-118
	7.4 OHIP Scores	118-119
	7.5 SOCP	119-120
	7.6 Conclusions	120
	7.7 Clinical Recommendations	120
8.	<b>REFERENCES</b>	121-132
9.	<b>ANNEXURES</b>	i-xxvi